AD ANCEMENT OF THE SCIENCE

Guest Commentary: *Sewage Monitoring in Rural Communities: A Powerful Strategy for COVID-19 Surveillance* 8

Dust and Noise Exposure While Using a Portable Wood Dust Collector 12

Special Report: *Mold Cleanup Practices Vary by Sociodemographic and Allergy Factors* 18

AD ANCEMENT OF THE PRACTICE

Direct From AAS: *Call to Arms: Don't Just Join, Get Involved!* 22

Direct From CDC/Environmental Health Services: *Use Resources From the Centers for Disease Control and Prevention to Strengthen Environmental Health Programs* 24

National Environmental Health Science and Protection Accreditation Council (EHAC)-Accredited Programs 27

Direct From ecoAmerica: *Ambition, Restoration, and Justice: A Path Forward on Climate Solutions* 28

AD ANCEMENT OF THE PRACTITIONER

JEH Quiz #3 30

EH Calendar 31

Resource Corner 32

ASSOCIATION

President's Message: *2020 in the Rearview Mirror* 6

Special Listing 34

Tribute to 2020 *JEH* Peer Reviewers 36

In Memoriam 38

NEHA 2021 AEC Virtual Series 40

NEHA News 41

DirecTalk: Musings From the 10th Floor:

-ḡe:-ḡe:

2021

ACCEPTING NOMINATIONS NOW

Walter S. Mangold

PRESIDENT'S MESSAGE

2020

How many times have you heard or said, "2020 has been a bad year," "We should get a do-over for 2020," or heard or said something similar but less appropriate for publication in a professional journal. To that point, 2020 has been a year of challenges, changes, loss, and reinvention. In any given year we would have our own personal challenges and losses, as well as go through a variety of changes. This year we did it as a community, a nation, and a world. The feeling was different and more profound because we went through this year together.

We lost several environmental health champions in 2020—professionals who dedicated their careers to promotion, development, and advocacy of environmental health. They were trailblazers, leaders, and mentors to many in the field:

- Chris Kochtitzky (May 2020): Kochtitzky was described as a "tenacious public health professional who pursued his work with

and electronic conferences have shown us how to facilitate learning through virtual platforms, as well as how to connect with colleagues. Many now have had the opportunity to participate as trainers, speakers, and hosts—a skill we likely did not possess one year ago.

Workspaces have changed to home offices for some, presenting us with the unique challenges and advantages of teleworking. We have learned to perform in a different environment, recognizing the equipment needed and the information to maintain, realizing the need for connectivity with coworkers, implementing methods to maintain that contact, and learning the new balance between work and home life. We have learned to adapt and become efficient and productive.

Written and verbal communication skills have improved through our work in providing the public with quickly changing information, using virtual inspections, and working on contact tracing. Proper communication is a key element in each of these functions. Speaking with people concerning contact with COVID-19-positive individuals, obtaining and providing information for clarity, and expediency are skills we have added to our repertoire.

Through all of our experiences this past year, we have all had the opportunity to change, grow, learn, teach, and evolve. We need to acknowledge our newfound skills and continue to build upon them. With that in mind, we can look at 2020 in a more positive perspective.

Wishing you a wonderful holiday season and a Happy New Year.



%

THE NEHA

T EHA E F EHA

I F EHA (303) 756-9090.

T

DELEGATE CLUB
($1–$99)

HONORARY MEMBERS CLUB
($100–$499)

21st CENTURY CLUB ($500–$999)

SUSTAINING MEMBERS CLUB
($1,000–$2,499)

AFFILIATES CLUB
($2,500–$4,999)

EXECUTIVE CLUB AND ABOVE
($5,000–$100,000)

GUEST COMMENTARY

resurgence of infection in communities and thus can be used to evaluate the effectiveness of public health interventions such as lockdowns and social distancing practices (Kitajima et al., 2020). Private enterprises have already started to offer sewage testing services in 42 states for COVID-19 detection, which would allow for screening of nearly 75% of the population at a fractional cost compared with clinical testing (Gillespie, 2020). Despite its advantages though, sewage testing in rural locations is underutilized as a surveillance tool.

Challenges Associated With Sewage Testing in Rural Communities

Although COVID-19 monitoring of communities through sewage seems to be a promising approach, there are limitations and challenges in implementing this method in rural parts of the U.S. First, the detection and quantification of SARS-CoV-2 from sewage depend on molecular microbiological methods. These techniques rely on collecting a representative number of samples for isolation, purification, and

Ahmed, WC.e6-m/ (., Angel, N., Edson, J., Bibby.e64.8 (, K., Bivins, A., O2252Brien, J.C.e50 (.,]TJ /0.066 Tw (1 -1.2 Td[(A. .)05 9A. Mueller)6

Win a $1,000 Award

and up to $1,000 in travel expenses

Students will be selected to present a 20-minute platform presentation and poster at the National Environmental Health Association's 2021 Annual Educational Conference & Exhibition Three-Part Virtual Series.

Entries must be submitted by Friday, February 26, 2021, to

Dr. Clint Pinion
Eastern Kentucky University
E-mail: clint.pinion@eku.edu
Phone: (859) 622-6330

For additional information and research submission guidelines, please visit www.aehap.org/srcandnsf.html.

AEHAP gratefully acknowledges the volunteer efforts of AEHAP members who serve on the advisory committee for this competition.

Introduction

The American Conference of Governmental Industrial Hygienists (ACGIH) has established their threshold limit value for exposure to wood dust aerosol (WDA) to be 1 mg/m^3 (inhalable) for all tree species except western red cedar, which is 0.5 mg/m^3. These limits were established to protect workers from adverse health effects ranging from decreased lung function to adenocarcinoma (American Conference of Governmental Industrial Hygienists, 2015). Many workers, from manufacturing to industrial arts schoolteachers, are exposed to WDA (Teschke, Marion, Vaughan, Morgan, & Camp, 1999). Douwes and coauthors (2017) studied worker exposure to wood dust in joineries and furniture factories and the percentage of workers who had exposures over the ACGIH recommendation was 37.5–100% at the joineries and 12.9–28.6% at the furniture factories.

Within the manufacturing sector, the use of a local exhaust ventilation (LEV) system in uenced worker exposure to WDA (Brosseau et al., 2001; Schlünssen et al., 2008). An LEV system with an outside exhaust can be expensive to install and operating costs are high because replacement air must be tempered (McDermott, 2001). If an LEV system is not used, or if it is used incorrectly, not only does the woodworker creating the wood dust potentially have a greater exposure but also other workers

the extra running time for the PWDC could increase the overall noise exposure.

In this study, we examined the effectiveness of a PWDC during sawing with a miter saw and sanding with a belt sander. We also investigated the potential noise exposure due to PWDC use. The objectives of this study were to:

1. Determine if wood dust exposure was reduced using a commercially available PWDC, and if so, which setup configuration significantly reduced exposure.
2. Assess the influence of other variables such as wood type on the effectiveness of the PWDC.
3. Measure the effect of the PWDC on noise exposure.

Methods

We chose the Dust-Force 1.5 HP motor (JDS Company) PWDC for this study because it can incorporate either a bag filter or a cartridge filter. The selected filters were labeled by the manufacturer as a 1-µm bag filter and a 1-µm cartridge filter. The PWDC did not come with a hood attachment. We purchased a 0.31 m x 0.41 m WoodRiver hood with floor stand (WoodCraft) to attach to the PWDC. We used a 3.05 m flexible tube (3:1 compression ratio) with a diameter of 10.16 cm to attach the hood to the PWDC.

For both sawing and sanding, pine (a softwood) boards (5.1 cm x 10.2 cm x 122 cm nominal size) and oak (a hardwood) boards (2.5 cm x 10.2 cm x 122 cm nominal size) were used. Samples were collected in an area of the laboratory that was separated from the rest of the laboratory with a