COMMUNITY ENVIRONMENTAL HEALTH INDICATORSC V2 Q q 39(4ox [/BBox [29.18 35]

SOCIAL & ENVIRONMENTAL DETERMINANTS OF HEALT

household composition & disability, minority & language, housing & transportation.

	CDC/ATSDR Social Vulnerability Index2018Database, Tribal Tracts.https://www.atsdr.cdc.gov/pl aceandhealth/svi/data_documentat on_download.html	No index or "score" for tribal tracts comparing data to other Tribseor non-tribal areas but some of the data points might be useful, depending on the needs and issue:			
Community Experience &wareness					
3/4 Survey of community members about community	Data fromNPAIHBTribe Survey	Rating scale survey X			
	environmental health status, priority issues and needs, and				
·	level of awareness of my ironmental public health activities				
Ecosystem Threats & Pressures					
Toxic emissions					
3/4 Map and data on facilities, amounts of toxic releases, compliance information, waste management, risks, and health effects	EPA TRsearch Tribal Lands, drop down menu to selecTribe) https://www.epa.gov/toxicsrelease inventory-				
Changes in ecosystem aracteristics & function					
3/4 Knowledge and experience widthanges in plant and aninth growth and behaviorsthreats to traditional and cultural harvesting and foraging areas, fishing and hunting ground pressures on water sup-0.7 (p-0.7 6d4)0-3.2 (t)-3.3 (n(f)4)					

workers)and makes public health recommendations as needed	
Water Quality	
Drinking water	

HEALTH OUTCOM&SEXPOSURES	DATA SOURCE	APPLICABILITY & USE
Acute Conditions & Communicable Disease		
Acute gastrointestinallIness		
3/4 Rate of illnesses based on patient encounter diagramsis hospital discharge dataver five year period	IHS/Triber NWTEC or State	Threshold for syndromic surveillance
Vectorborne disease		
3/4 Number of fatalities and confirmed casesn(aulatory and inpatient) overfive year period	IHS/Triber NWTEC or State	Threshold for syndromic surveillance
Pesticides or other hazardous chemiœuposures		
3/4 Number of fatalities and confirmed casesn(aulatory and inpatient) overfive year period	IHS/Triber NWTEC or State	Threshold for syndromic surveillanc were there investigations conducted
Childhood lead poisoning		
3/4 The number of children with blookead levels exceeding the level of concern (5 μg/L) or any "cluster" of children with measurable bloodead levels, age d 6, overfive year period.	IHS/Triber NWTEC or State	Threshold for syndromic surveillanc were there investigations conducted?
Food and Wateborne Illness		
3/4 Number of confirmed food and waterborne disease outbreaks over five years	IHS/Triber NWTEC or State	Were these investigated? Interventions and outcomes?
Chronic Disease		
Asthma		
³ / ₄ Prevalence f asthma based on patient encount diagnosis data for children and adults ver five years; and the number of people hospitalized for asthma, average over five years	IHS/Tribeor NWTEC or State	Monitoring and tracking X
Cancer		
3/4 Incidence rates of cancer by cancer site, race, gender, an age groupover five year period	IHS/Tribe	

APPENDIX

Drinking water health-